

Technical Data Sheet

CODE 11566

QE-B I K90 R 2R

Centrifugal duct fans




Certifications



TECHNICAL AND PERFORMANCE DATA

Nominal Diameter (mm)	80	Weight (Kg)	3,07
-----------------------	----	-------------	------

DIMENSIONS



Size A (mm)	285
Size B (mm)	285
Size C (mm)	131,5
Size D (mm)	60
Size E (mm)	Ø 73
Size F (mm)	Ø 79
Size H (mm)	106
Size J (mm)	52
Size K (mm)	71,5
Size L (mm)	76

PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: prevendita@vortice-italy.com

Technical Data Sheet

CODE 11566

QE-B I K90 R 2R

Centrifugal duct fans



DESCRIPTION

- Refractory fireproof K90 casing for recessed installation and main rear discharge.
- Stainless steel spigot, integrating the K90 fireproof valve, TUM certified according to DIN 18017-3.
- Backdraught shutter compliant with DIN 18017-3, as certified by TUV German Institute.
- Spigot nominal diameter: 80 mm.
- Square frame to prevent entry of dirt and plaster.
- Stainless steel spigot, on the right side, able to extract air from a second room.

ACCESSORIES



SAWG

Code 21119



SABG

Code 21120



AVR 100

Code 21121



AVR 125

Code 21122



AVR 140

Code 21123



AVR 160

Code 21124



AVR 180

Code 21125



AVR 200

Code 21126



MDV 100

Code 21127



ADV 100

Code 21128



MSDV 100

Code 21129



ASDV 100

Code 21130
PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302



3SS-D

Code 21132



2SS-I

Code 21133



3SS-I

Code 21134




QE-SPF
Code 21101



QE-SRK
Code 24129



QE-FBA
Code 24183



QE-CFR
Code 24229